

REFERENCES

- Aldiss, D.T. 1991.** Geological notes and local details for 1:10 000 Sheet TL23SE (Weston). *British Geological Survey Technical Report*, WA/91/51.
- Aldiss, D.T. 1992a.** Geological notes and local details for 1:10 000 sheet TL12NE (Hitchin). *British Geological Survey Technical Report*, WA/92/61.
- Aldiss, D.T. 1992b.** Geological notes and local details for 1:10 000 Sheet TL22NW (Little Wymondley). *British Geological Survey Technical Report*, WA/92/62.
- Allen, P. 1983.** *Middle Pleistocene Stratigraphy and Landform Development in South-east Suffolk*. Unpublished PhD thesis, University of London.
- Allen, P. (ed.) 1984.** *Field Guide to the Gipping and Waveney Valleys, Suffolk*. (Revised Edition, October 1984), Quaternary Research Association, Cambridge.
- Allen, P., Cheshire, D.A. & Whiteman, C.A. 1991.** The tills of southern East Anglia In: Ehlers, J., Gibbard, P.L. & Rose, J. (eds.) *Glacial Deposits in Great Britain and Ireland*. A.A. Balkema, Rotterdam, pp.255-278.
- Andrews, J.T. 1971.** Techniques of till fabric analysis. *Technical Bulletin No. 6*. British Geomorphological Research Group, London.
- Avery, B.W. & Catt, J.A. 1983.** Northaw Great Wood. In: Rose, J. (ed.) *Diversion of the Thames*. Field Guide, Quaternary Research Association, Cambridge, pp.96-101.
- Avery, B.W., Bullock, P., Catt, J.A., Rayner, J.H. & Weir, A.H. 1982.** Composition and origin of some brickearths on the Chiltern Hills, England. *Catena*, 9, pp.153-174.
- Baden-Powell, D.F W. 1948.** The chalky boulder clays of Norfolk and Suffolk. *Geological Magazine*, 85, pp.279-296.
- Baker, C.A. & Jones, K.C. 1980.** Glaciation of the London Basin and its influence on the drainage pattern: a review and appraisal. In: Jones D.K.C. (ed.) *The Shaping of Southern England*. Institute of British Geographers Special Publication 11, Academic Press, London, pp.131-76.
- Banham, P.H. 1975.** Glacitectonic structures: a general discussion with particular reference to the contorted drift of Norfolk. In: Wright, A.E. & Moseley, F. (eds.) *Ice Ages: Ancient and Modern*. Geological Journal Special Issue No. 6, Seel House Press, Liverpool, pp.69-94.
- Banham, P.H., Gibbard, P.L., Lunkka, J.P., Parfitt, S.A., Preece, R.C. & Turner, C. 2001.** A critical assessment of 'A New Glacial Stratigraphy for Eastern England'. *Quaternary Newsletter*, 93, pp.5-14.

- Bate, R.H. & Robinson, E. (eds.) 1978.** *A stratigraphical index of British Ostrocoda*. Seel House Press, Liverpool.
- Bateman, R.M. & Rose, J. 1994.** Fine sand mineralogy of the early and middle Pleistocene Bytham Sands and Gravels of Midland England and East Anglia. *Proceedings of the Geologists' Association*, **105**, pp.33-39.
- Beaney, C. L. 2002.** Tunnel channels in southeast Alberta, Canada: evidence for catastrophic channelized drainage. *Quaternary International*, **90**, pp.67-75.
- Belshaw, R.K., Smith, K.A. & Hackney, G.A. 2006.** The Early Pleistocene modification of the remnants of the Tertiary drainage system in Northamptonshire, U.K. *Quaternary Newsletter*, **109**, pp.11-19.
- Benn, D. I. 1994.** Fabric shape and the interpretation of sedimentary fabric data. *Journal of Sedimentary Research*, **A64**, pp.910-915.
- Benn, D. I. 1995.** Fabric signature of subglacial till deformation, Breidamerkurjökull, Iceland. *Sedimentology*, **42** (5), pp.735-747.
- Benn, D.I. & Evans, D.J.A. 1996.** The interpretation and classification of subglacially-deformed materials. *Quaternary Science Reviews*, **15**, pp.23-52.
- Benn, D.I. & Evans, D.J.A. 1998.** *Glaciers & Glaciation*. London, Arnold.
- Benn, D.I. & Ringrose, T. I. 2001.** Random variation of fabric eigenvalues: implications for the use of a-axis fabric data to differentiate till facies. *Earth Surface Processes and Landforms*, **26**, pp.295-306.
- Bennett, M. R., Waller, R.I., Glasser, N.F., Hambrey, M.J. & Huddart, D. 1999.** Glacigenic clast fabrics: genetic fingerprint or wishful thinking ? *Journal of Quaternary Science*, **14** (2), pp.125-135.
- Bishop, W.W. 1958.** The Pleistocene geology and geomorphology of Three Gaps in the Midland Jurassic Escarpment. *Philosophical Transactions of the Royal Society of London, Series B Biological Sciences*, **241**, (682) pp.255-306.
- Bloom, E.F.D. 1930.** Report of field meeting at Hitchin. *Proceedings of the Geologists' Association*, **41**, pp.441–442.
- Bloom, E.F.D. 1934.** Geology. In: Hine, R. L. (ed.) *The Natural History of the Hitchin Region*. Hitchin & District Regional Survey Association.
- Bloom, E.F.D. & Harper, A.R.C.S. 1938.** Field meeting in the Hitchin district. *Proceedings of the Geologists' Association*, **49**, pp.415-419.
- Bloom, E.F.D. & Wooldridge, S.W. 1929.** Field Meeting in the Hitchin District. *Proceedings of the Geologists' Association*, **41**, pp.87-91.

Boreham, S. 2002. *The Pleistocene stratigraphy and palaeoenvironments of the Cambridge District*. Open University, Unpublished PhD thesis.

Boreham, S. & Gibbard, P.L. 1995. Middle Pleistocene Hoxnian Stage interglacial deposits at Hitchin, Hertfordshire. *Proceedings of the Geologists' Association*, **106**, pp.259-270.

Boreham, S. & Langford, H. 2006. The Milton Formation and late Cenozoic drainage development of the English Midlands: a comment on Belshaw, Hackney and Smith (2005). *Quaternary Newsletter*, **108**, pp.14-23.

Boulton, G.S. 1971. Till genesis and fabric in Svalbard, Spitsbergen. In: Goldthwaite R.P. (ed.) *Till, A Symposium*. Ohio State University Press, Columbus, pp.41-72.

Boulton, G.S. 1992. Quaternary. In: Duff, P.McL.D. & Smith A.J. (eds.) *Geology of England and Wales*. The Geological Society, London, pp.413-444.

Boulton, G.S. & Hindmarsh, R.C.A., 1987. Sediment deformation beneath glaciers: rheology and geological consequences. *Journal of Geophysical Research*, **92**, B9, pp.9059-9082.

Boulton, G.S. & Jones, A.S. 1979. Stability of temperate ice caps and sheets resting on beds of deformable sediment. *Journal of Glaciology*, **24**, pp.29-43.

Boulton, G.S., Dobbie, K. E. & Zatespin, S. 2001. Sediment deformation beneath glaciers and its coupling to the subglacial hydraulic system. *Quaternary International*, **85**, pp.3–28.

Bowen, D.Q. 1991. Amino Acid Geochronology. In: Lewis, S.G., Whiteman, C.A., & Bridgland, D.R. (eds.) *Central East Anglia and the Fen Basin Field Guide*. Quaternary Research Association, London.

Bowen, D.Q. (ed.) 1999. *A revised correlation of Quaternary deposits in the British Isles*. The Geological Society Special Report No. 23.

Bowen, D.Q., Rose, J., McCabe, A.M. & Sutherland, D.G. 1986. Correlation of Quaternary glaciations in England, Ireland, Scotland and Wales. *Quaternary Science Reviews*, **5**, pp.301-340.

Brew, D. S. 1997. The Quaternary history of the subtidal central Wash, eastern England. *Journal of Quaternary Science*, **12** (2) pp.131-141.

Bridgland, D.R. (ed.) 1986. *Clast Lithological Analyses*. Technical Guide No. 3. Quaternary Research Association, London.

Bridgland, D.R. 1994. *Quaternary of the Thames*. Geological Conservation Review Series No. 7, Joint Nature Conservation Committee, Chapman & Hall, London.

- Bridgland, D.R., Keen, D.H. & Davey, N.D.W. 1991.** The Pleistocene sequence in the Peterborough district : possible correlation with the deep-sea oxygen isotope record. In: Lewis, S.G., Whiteman, C.A., & Bridgland, D.R. (eds.) *Central East Anglia and the Fen Basin Field Guide*. Quaternary Research Association, London.
- Bridgland, D.R. & Cheshire, D.A. 1994.** Westmill Quarry. In: Bridgland D.R., *Quaternary of the Thames*. Geological Conservation Review Series No. 7, Joint Nature Conservation Committee. Chapman & Hall, London, pp.121-129.
- Bristow, C.R. & Kirkaldy, J.F. 1962.** Field meeting to the Leighton Buzzard – Aylesbury Area. *Proceedings of the Geologists' Association*, **73**, pp.455-459.
- Bristow, C.R. & Cox, F.C. 1973.** The Gipping Till: a reappraisal of East Anglian glacial stratigraphy. *Journal of the Geological Society of London*, **129**, pp.1-37.
- British Standards Institution, 1990.** *Soils for Civil Engineering Purposes – Part 2 Classification Tests*. BS1377-2:1990. British Standards Institution, London.
- British Geological Survey, 1900.** *England & Wales Sheet 203 (Bedford)*. Solid and Drift Geology. One inch map. (Keyworth, Nottingham).
- British Geological Survey, 1975.** *England & Wales Sheet 187 (Huntingdon)*. Solid and Drift Geology. 1:50,000. (Keyworth, Nottingham).
- British Geological Survey, 1977.** *Quaternary map of the United Kingdom (South)* 1:625,000. 1st edition. (Keyworth, Nottingham).
- British Geological Survey, 1976.** *England & Wales Sheet 204 (Biggleswade)*. Solid and Drift Geology. 1:50,000. (Keyworth, Nottingham).
- British Geological Survey, 1992.** *England & Wales Sheet 220 (Leighton Buzzard)* Solid and Drift Geology. 1:50,000. (Keyworth, Nottingham).
- British Geological Survey, 1995.** *England & Wales Sheet 221 (Hitchin)*. Solid and Drift Geology. 1:50,000. (Keyworth, Nottingham).
- British Geological Survey, 2001.** *England & Wales Sheet 204 (Biggleswade)*. Solid and Drift Geology. 1:50,000. (Keyworth, Nottingham).
- Brown, J.C. 1959.** The sub-glacial surface in east Hertfordshire and its relation to the valley pattern. *Transactions and Papers of the Institute of British Geographers*, **25**, pp.37-50.
- BrownSELL, W.J. 1996.** *An analysis of till from Primrose Hill Quarry, Holwell, Hertfordshire*. Unpublished undergraduate thesis, University of Hertfordshire.

- Carr, S.J. & Rose, J. 2003.** Till fabric patterns and significance: particle response to subglacial stress. *Quaternary Science Reviews*, **22**, pp.1415-1426.
- Catt, J.A. 1978.** Quaternary history of the Hertfordshire area. *Transactions of the Hertfordshire Natural History Society*, **28**, (4), pp.27-54.
- Catt, J.A. 1983.** The nature, origin and geomorphological significance of Clay-with-flints. In: Sieveking, G. de G. & Hart, M.B. (eds.) *The scientific study of flint and chert: Proceedings of the Fourth International Flint Symposium held at Brighton Polytechnic*. Cambridge University Press. Cambridge, pp.151-159.
- Catt, J.A. 1991.** Late Devensian glacial deposits and glaciations in eastern England and the adjoining offshore region. In: Ehlers, J., Gibbard, P.L. & Rose, J. (eds.) *Glacial Deposits in Great Britain and Ireland*. A.A. Balkema, Rotterdam.
- Catto, N.R. 1998.** Comparative study of striations and basal till clast fabrics, Malpeque-Bedeque region, Prince Edward Island, Canada. *Boreas*, **27** (4), pp.259-274.
- Chacksfield, B.C. & Raines, M.G. 1992.** Further geophysical surveys across a buried valley at Hitchin, Hertfordshire. *British Geological Survey Technical Report*, WK/92/2R.
- Cheshire, D.A. 1981.** A contribution towards a glacial stratigraphy of the lower Lea Valley and implications for the Anglian Thames. *Quaternary Studies* **1**, City of London Polytechnic and Polytechnic of North London, pp.27-69.
- Cheshire, D.A. 1983a.** Till lithology in Hertfordshire and west Essex. In: Rose, J. (ed.) *Diversion of the Thames*, Field Guide, Quaternary Research Association, Cambridge, pp.50-59.
- Cheshire, D.A. 1983b.** Westmill. In: Rose, J. (ed.) *Diversion of the Thames*, Field Guide. Quaternary Research Association, Cambridge, pp.120-132.
- Cheshire, D.A. 1986.** *Till lithology and stratigraphy of the Anglian deposits of the Lea Basin*. Unpublished PhD thesis, Hatfield Polytechnic.
- Cheshire, D.A. & Bridgland, D.R. 1994.** Ugley Park Quarry In: Bridgland, D.R. *Quaternary of the Thames*. Geological Conservation Review Series No. 7, Joint Nature Conservation Committee, Chapman & Hall, London.
- Clark, C.D., Gibbard., P.L., & Rose, J. 2004.** Pleistocene glacial limits in England, Scotland and Wales. In: Ehlers, J. & Gibbard P.L. (eds.) *Quaternary Glaciations – Extent and Chronology, Vol. 1, Europe*. Elsevier B.V., pp.47-82.
- Clayton, K.M. 1957.** Some aspects of the glacial deposits of Essex. *Proceedings of the Geologists' Association*, **68**, pp.1-21.

- Clayton, K.M. 1979.** Glacial and postglacial landform change. In: Straw, A. & Clayton, K.M. (eds.) *Eastern and Central England, Part II The Midlands and Southern Pennines*. Methuen, London.
- Clayton, K. M. 2000.** Glacial erosion of the Wash and Fen basin and deposition of chalky till of eastern England. *Quaternary Science Reviews*, **19**. pp.811-822.
- Clayton, K.M. & Brown, J. C. 1958.** The glacial deposits around Hertford. *Proceedings of the Geologists' Association*, **60**, pp.103–119.
- Coppock, J.T. 1968.** *The Chilterns, British Landscape through Maps*. The Geographical Association, Sheffield.
- Cox, F C. 1985.** The Tunnel Valleys of Norfolk, East Anglia. *Proceedings of the Geologists' Association*. **96**, pp.357-369.
- Cox, F.C. & Nickless, E.F.P. 1972.** Some aspects of the glacial history of central Norfolk. *Bulletin of the Geological Survey of Great Britain*, **42**, pp.79 – 98.
- Culpin, B.E.L. 1921.** Excursion to Stevenage, Herts, Part 1. *Proceedings of the Geologists' Association*, **32**, pp.20–25.
- Curry, J.R. 1956.** The analysis of two-dimensional orientation data. *Journal of Geology*, **64**, pp.117–131.
- Davey, N.D.W. 1991.** A review of the Pleistocene geology of the Peterborough District. In: Lewis, S.G., Whiteman, C.A., & Bridgland, D.R. (eds.) *Central East Anglia and the Fen Basin Field Guide*. Quaternary Research Association, London.
- Davies, A.M. 1915.** Report of an excursion to Soulbury, Stewkley & Wing. *Proceedings of the Geologists' Association*, **26**, pp.90-92.
- Davis, J. C. 2002.** *Statistics and data analysis in Geology* (3rd Edition). John Wiley & Sons, New York.
- Dowdeswell, J. A., & Sharp, M.J. 1986.** Characterization of pebble fabrics in modern terrestrial glacigenic sediments. *Sedimentology*, **33**, pp.699-710.
- Dreimanis, A. 1990.** Formation, deposition and identification of subglacial and supraglacial tills. In: Kujansuu, R. & Saarnisto, M. (eds.) *Glacial Indicator Tracing*. Balkema, pp.35-59.
- Edmonds, E.A & Dinham, C.H. 1965.** Geology of the country around Huntingdon & Biggleswade. *Memoir of the Geological Survey of Great Britain*, Sheets 187 & 204 (England & Wales).
- Ehlers, J. 1996.** Methods of Investigating Glacial and Interglacial Deposits. In: Ehlers, J. *Quaternary & Glacial Geology*. Wiley.

- Ehlers, J. & Linke, G. 1989.** The origin of deep buried channels of Elsterian age in northwest Germany. *Journal of Quaternary Science*, **4** (3), pp.255-265.
- Ehlers, J. & Gibbard, P.L. 1991.** Anglian glacial deposits in Britain and the adjoining offshore regions. In: Ehlers, J., Gibbard, P.L. & Rose, J. (eds.) *Glacial Deposits in Great Britain and Ireland*. A.A. Balkema, Rotterdam, pp.255-278.
- Embleton, C. & King, C.A.M. 1975.** *Glacial Geomorphology*. Edward Arnold, London.
- Etienne, J. L. 2001.** Middle Pleistocene glacigenic sediments at Holwell, Hertfordshire: a record of a fluctuating Anglian ice margin. *Proceedings of the Geologists' Association*, **112**, pp.361-371.
- Evans, D.J.A. & Hiemstra, J. F. 2005.** Till deposition by glacier submarginal, incremental thickening. *Earth Surface Processes and Landforms*, **30**, pp.1633-1662.
- Evans, D.J.A., Phillips, E.R., Hiemstra, J.F. & Auton, C.A. 2006.** Subglacial till: Formation, sedimentary characteristics and classification. *Earth Science Reviews*, **78**, pp.115-176.
- Fish, P.R. 2000.** *Stratigraphy, provenance and glaciodynamic origins of the Lowestoft Till of eastern England*. Unpublished PhD thesis, University of Brighton.
- Fish, P.R. & Whiteman, C.A. 2001.** Chalk micropalaeontology and the provenancing of Middle Pleistocene Lowestoft Formation till in eastern England. *Earth Surface Processes and Landforms*, **26**, pp.953-970.
- Forbes, C. L. 1959.** Field Meeting in the Cambridge District. *Proceedings of the Geologists' Association*, **71**, pp.233-241.
- Fuller, M. D. 1962.** A Magnetic Fabric in Till. *Geological Magazine*, **99**, pp.233-237.
- Gale, S.J. & Hoare, P.G. 1991.** *Quaternary sediments; Petrographic methods for the study of un lithified rocks*. Belhaven Press. London.
- Gallois, R. W. 1994.** Geology of the country around King's Lynn and the Wash. *Memoir of the Geological Survey of Great Britain*, Sheets 145 & and part of 129 (England & Wales). HMSO, London.
- Gallois, R.W. 1999.** Pre-glacial drainage of Fenland correspondence. *Proceedings of the Geologists' Association*, **119**, pp.257-262.
- Gao, C., Russell Coope, G., Keen, D.H., & Pettit, M.E. 1998.** Middle Devensian deposits of the Ivel Valley at Sandy, Bedfordshire, England: *Proceedings of the Geologists' Association*, **109** (2), pp.127-138.

- Gibbard, P.L. 1974.** *Pleistocene stratigraphy and vegetational history of Hertfordshire*. Unpublished PhD thesis, University of Cambridge.
- Gibbard, P.L. 1977.** Pleistocene history of the Vale of St Albans. *Philosophical Transactions of the Royal Society of London*, **B280**, pp.445-83.
- Gibbard, P.L. 1978a.** Quaternary geology and landform development in the Vale of St Albans. In: Rose J. & Gibbard, P.L (eds.) *Field Guide to the Vale of St Albans*. Quaternary Research Association, London. pp.9–29.
- Gibbard, P.L. 1978b** Westmill. In: Rose J. & Gibbard, P.L (eds.) *Field Guide to the Vale of St Albans*. Quaternary Research Association, London, pp.63-67.
- Gibbard, P.L. 1983.** The diversion of the Thames – a review. In: Rose, J. (ed) *Diversion of the Thames Field Guide*, Quaternary Research Association, Cambridge, pp.8-23.
- Gibbard, P.L. 1999.** The Thames Valley, its tributary, valleys and their former courses. In: Bowen D.Q. (ed.) *A revised correlation of Quaternary deposits in the British Isles*. Geological Society Special Report No. 23.
- Gibbard, P.L. 2004.** In: Clark, C.D., Gibbard., P.L., & Rose, J. Pleistocene glacial limits in England, Scotland and Wales. In: Ehlers, J. & Gibbard P.L. (eds.) *Quaternary Glaciations – Extent and Chronology, vol. 1, Europe*, Elsevier B.V., pp.47-82.
- Gibbard, P.L. & Aalto, M. M. 1977.** A Hoxnian Interglacial site at Fishers Green, Stevenage, Hertfordshire. *New Phytologist*, **78**, pp.505-523.
- Gibbard, P. & Kolfschoten, T. van. 2004.** The Pleistocene and Holocene Epochs. In: Gradstein, F.M., Ogg, J.G. & Smith, A.G. (eds.) *A Geologic Time Scale, 2004*. Cambridge University Press.
- Gibbard, P.L, West, R.G., Andrew, R. & Pettit, M. 1991.** Tottenhill, Norfolk (TF 636115). In: Lewis, S.G., Whiteman, C.A., & Bridgland, D.R. (eds.) *Central East Anglia and the Fen Basin*, Field Guide. Quaternary Research Association, London, pp.131-143.
- Green, C.P., McGregor, D.F.M. & Evans, A.H. 1982.** Development of the Thames Drainage system in early and middle Pleistocene times. *Geological Magazine*, **119**, pp.143-156.
- Grimm, L. G. & Yarnold, P.R. 1995.** *Reading and Understanding Multivariate Statistics*. American Psychological Association, Washington D.C.
- Hamblin, R., Moorlock, B. & Rose, J. 2000.** A new glacial stratigraphy for Eastern England. *Quaternary Newsletter*, **92**, pp.35-44.
- Hambrey, M.J. 1994.** *Glacial Environments*. UCL Press, London.

- Harmer, F.W. 1907.** The Glacial deposits of the east of England. *British Association Report for 1906*, pp.570-572.
- Hart, J. K. 1995.** Subglacial erosion, deposition and deformation associated with deformable beds. *Progress in Physical Geography*, **19**, pp.173-191.
- Hart, J. K. 1998.** The deforming bed/debris-rich basal ice continuum and its implications for the formation of glacial landforms (flutes) and sediments (melt-out till). *Quaternary Science Reviews*, **17**, pp.737-754.
- Hart, J.K., Hindmarsh, R.C.A. & Boulton, G.S. 1990.** Styles of subglacial glaciotectonic deformation within the context of the Anglian ice-sheet. *Earth Surface Processes & Landforms*, **15**, pp.227-241.
- Hey, R. W. 1976.** Provenance of far-travelled pebbles in the Pre-Anglian Pleistocene of East Anglia. *Proceedings of the Geologists' Association*, **87**, pp.69–81.
- Hey, R.W. & Perrin, R.M.S. 1960.** *The Geology and Soils of Cambridgeshire*. Cambridgeshire Natural History Society. Cambridge.
- Hicock, S.R., Goff, J.R., Lian O.B., & Little, E.C. 1996.** On the interpretation of subglacial till fabric. *Journal of Sedimentary Research*, **66**, (5), pp.928–934.
- Hill, W. 1908.** On a Deep Channel of Drift at Hitchin (Hertfordshire). *Quarterly Journal of the Geological Society of London*, **64**, pp.8-10.
- Hill, W. 1910.** Excursion to Arlesey and Letchworth. *Proceedings of the Geologists' Association*, **16**, pp.446-447.
- Hill, W. 1911.** Note on a boulder near Letchworth, Herts. *Proceedings of the Geologists' Association*, **22**, Part 3, p.120.
- Hill, W. 1912.** Report of an Excursion to the Hitchin & Stevenage Gap. *Proceedings of the Geologists' Association*, **23**, pp.217-224.
- Hill, W. 1914.** Report of an Excursion to Knebworth & Hertford. *Proceedings of the Geologists' Association*, **25**, pp.288–291.
- Hoare, P.G. & Connell, E.R. 1981.** The Chalky Till at Barrington and its connection with other Quaternary deposits in south Cambridgeshire & adjoining areas. *Geological Magazine*, **118**, pp.463–476.
- Hoare, P.G., Larkin, N R. & Connell, E.R. 2006.** The first appearance of Norwegian indicator erratics in the glacial succession of northeast Norfolk, eastern England. *Quaternary Newsletter*, **108**, pp.6–13.
- Hollingworth, S.E. & Taylor, J.H. 1946.** An outline of the geology of the Kettering district . *Proceedings of the Geologists' Association*, **57**, pp.204-233.

Holmes, C.D. 1941. Till fabric. *Bulletin of Geological Society of America*, **52**, pp.1299-1354.

Hopson, P.M. 1992. Geology of the Letchworth, north-west Hitchin and Holwell district, Hertfordshire. *British Geological Survey Technical Report*, WA/02/42.

Hopson, P. M. 1995. Chalk rafts in Anglian till in North Hertfordshire. *Proceedings of the Geologists' Association*, **106**, pp.151 -158.

Hopson, P.M., Aldiss, D.T. & Smith, A. 1996. Geology of the country around Hitchin. *Memoir of the British Geological Survey*, Sheet 221 (England and Wales), Keyworth.

Horton, A. 1970. The drift sequence and sub-glacial topography in parts of the Ouse and Nene Basin. *Report of the Institute of Geological Sciences*, No. 7/9.

Horton, A. 1981. The Peterborough Area. In: Douglas T.D. (ed.) *Field Guide to the East Midlands region*. Quaternary Research Association, Cambridge, pp.27-35.

Horton, A. 1995. Geology of the country around Thame. *Memoir of the British Geological Survey*, Sheet 237 (England and Wales), HMSO, London.

Horton, A., Shephard-Thorn, E.R & Thurrell, R.G. 1974. The geology of the new town of Milton Keynes. *Report of the Institute of Geological Science*, No.74/16.

Hughes, T. McK. 1911. Excursion to Cambridge and Barrington. *Proceedings of the Geologists' Association*, **82**, pp.161-86.

Huisse, M. & Lykke-Anderson, H. 2000. Overdeepened Quaternary valleys in the eastern Danish North Sea: morphology & origin. *Quaternary Science Reviews*, **19**, pp.1233-1253.

Jenkins, D.G. & Murray, J.W. (eds.) 1981. *Stratigraphical atlas of fossil foraminifera*. British Micropalaeontological Society, Ellis Horwood, Chichester.

Jones, A.P., Tucker, M.E. & Hart, J.K. (eds.) 1999. Guidelines and Recommendations. In: *The description and analysis of Quaternary stratigraphic field sections*. Technical Guide No. 7. Quaternary Research Association, London, pp.27-62.

Jørgensen, F. & Sandersen, P.B.E. 2005. Buried & open tunnel valleys in Denmark - erosion beneath multiple ice sheets. *Quaternary Science Reviews*, **25**, (11-12), pp.1339-1363.

- Keen, D.H. 1999.** The chronology of Middle Pleistocene ('Wolstonian') events in the English Midlands. In: Andrews, P. & Banham, P. (eds.) *Late Cenozoic Environments and Hominid Evolution: a tribute to Bill Bishop*. Geological Society, London.
- Kelly, S.R.A. & Rawson, P.F. 1983.** Some late Jurassic-mid Cretaceous Sections on the East Midlands Shelf as demonstrated in a field meeting on 18-20 May, 1979. *Proceedings of the Geologists' Association*, **94**, pp.65-73.
- Kerney, M. P. 1959.** An interglacial tufa near Hitchin, Hertfordshire. *Proceedings of the Geologists' Association*, **70**, pp.322-337.
- Khatwa, A. & Tulaczyk, S. 2001.** Microstructural interpretations of modern and Pleistocene subglacially deformed sediments, the relative role of parent material and subglacial processes. *Journal of Quaternary Science*, **16** (6) pp.271–292.
- Kitchin, F. L. & Pringle, J. 1921.** Excursion to Leighton Buzzard. *Proceedings of the Geologists' Association*, **32**, pp.173–177.
- Kluiving, S.J., Bosch, J.H.A., Ebbing, J.H.J., Mesdag, C.S. & Westerhoff, R.S. 2003.** Onshore and offshore seismic and lithostratigraphic analysis of a deeply incised Quaternary buried valley-system in the northern Netherlands. *Journal of Applied Geophysics*, **53**, pp.249-271.
- Kovach, W.L. 1995.** Multivariate Data Analysis. In: Maddy D. & Brew, J.S. *Statistical modelling of Quaternary science data*. Quaternary Research Association, Technical Guide No. 5.
- Lake, R.D. & Wilson, D. 1990.** Geology of the country around Great Dunmow. *Memoir of the British Geological Survey*, Sheet 222 (England and Wales), HMSO, London.
- Lamplugh, G.W. 1915.** Report on an excursion to Leighton Buzzard. *Proceedings of the Geologists' Association*, **26**, pp.310-313.
- Langford, H.E. 1999.** *Sedimentological, palaeogeographical and stratigraphical aspects of the Middle Pleistocene geology of the Peterborough area, eastern England*. Unpublished PhD thesis, Anglia Polytechnic University.
- Lawson, D. E. 1979.** A comparison of the pebble orientations in ice and deposits of the Matanuska Glacier, Alaska. *Journal of Geology*, **87**, pp.629-645.
- Lee, J.R., Rose, J., Riding, J.B., Moorlock, B.S.P. & Hamblin, R.J.O. 2002.** Testing the case for a Middle Pleistocene Scandinavian glaciation in Eastern England: evidence for a Scottish ice source for tills within the Corton Formation of East Anglia, U.K. *Boreas*, **31**, pp.345-355.

Lewis, S.G. 1992. High Lodge – stratigraphy and depositional environments.

In Ashton, N., Cooke, J. Lewis, S.G. & Rose, J. (eds.) *High Lodge: Excavations by G. de G. Sieveking and J. Cook, 1988*. British Museum, London, pp.51-85.

Lewis, S.G. 1993. *The status of the Wollstonian glaciation in the English Midlands and East Anglia*. Unpublished PhD thesis, University of London.

Lewis, S G. 1999. Eastern England. *In*: Bowen D.Q. (ed.) A Revised correlation of Quaternary deposits in the British Isles. Geological Society Special Report No. 23, pp.10-27.

Li D., Yi, C., Ma, B., Wang, P., Ma, C. & Cheng, G. 2006. Fabric analysis of till clasts in the upper Urumqi River, Tian Shan, China. *Quaternary International*, **154-155**, pp.19-25.

Lian, O.B. & Hicock, S.R. 2000. Thermal conditions beneath parts of the last Cordilleran Ice Sheet near its centre as inferred from subglacial till, associated sediments and bedrock. *Quaternary International*, **68-71**, pp.147-162.

Lindsay, J.F. 1970. Clast fabric of till and its development. *Journal of Sedimentary Petrology*, **40** (2), pp.629-641.

Linton, D.L. 1963. The Forms of Glacial Erosion. *Transactions and Papers, Institute of British Geographers*, No. 33, pp.1-28.

Little, J.A. & Atkinson, J.H. 1988. Some geological and engineering characteristics of lodgement tills from the Vale of St Albans, Hertfordshire. *Quarterly Journal of Engineering Geology, London*, **21**, pp.183-199.

Loizeau, J.L., Arbouille, D., Santiago, S. & Vernet, J.P. 1994. Evaluation of a wide range laser diffraction grain size analyser for use with sediments. *Sedimentology*, **41**, pp.353–361.

Lowe, J. J. & Walker, M.J.C. 1984. *Reconstructing Quaternary Environments*. Longman, London.

Madgett, P.A. & Catt, J.A. 1978. Petrography, stratigraphy and weathering of Late Pleistocene tills in east Yorkshire, Lincolnshire and north Norfolk. *Proceedings of the Yorkshire Geological Society*, **42**, pp.55–108.

Mark, D.M. 1973. Analysis of axial orientation data in till fabrics. *Bulletin of the Geology Society of America*, **84**, pp.1369-1374.

Mark, D.M. 1974. On the interpretation of till fabrics. *Geology*, **2**, pp.101-104.

Matthews, M.D. 1991. The effect of grain shape and density on size measurement. *In*: Syvtski, J.P.M. (ed.) *Principles, methods and application of particle size analysis*. Cambridge University Press.

- McCave, I.N., Bryant, R.J., Cook, H.F. & Coughanowr, C.A. 1986.**
Evaluation of a laser-diffraction size analyser for use with natural sediments. *Journal of Sedimentary Petrology*, **56**, pp.561-564.
- Mitchell, G.F., Penny, L.F., Shotton, F.W. & West, R.G. 1973.** A Correlation of Quaternary deposits in the British Isles. *Geological Society of London Special Report*, 4.
- Moffat, A.J. & Catt, J.A. 1982.** The nature of the Pebby Clay Drift at Epping Green, south-east Hertfordshire. *Transactions of the Hertfordshire Natural History Society*, **28** (6), pp.16–24.
- Moffat, A.J. & Catt, J.A. 1986.** A re-examination of the evidence for a Plio-Pleistocene marine transgression on the Chiltern Hills, III Deposits. *Earth Surface Processes and Landforms*, **11**, pp.233-247.
- Mooers, H. D. 1989.** On the formation of tunnel valleys of the Superior Lobe, Central Minnesota. *Quaternary Research*, **32**, pp.24-35.
- Moorlock, B.S.P., Hamblin, R.J.O., Rose, J. & Lee, J.R. 2001.** The occurrence of rhomb-porphyry within diamictons in the north-east Norfolk. *Quaternary Newsletter*, **95**, pp.49-50.
- Moorlock, B.S.P., Sumbler, M.G., Woods, M.A. & Boreham, S. 2003.**
Geology of the Biggleswade district - a brief explanation of the geological map. *Sheet Explanation of the British Geological Survey*. 1:50,000 Sheet 204 Biggleswade (England and Wales) Nottingham.
- Mullins, H. T. & Hinckey, E.J. 1989.** Erosion & infill of New York Finger Lakes: Implications for Laurentide ice sheet deglaciation. *Geology*, **17**, pp.622-625.
- Norris, G. 1962.** Some glacial deposits and their relation to the Hippopotamus bearing beds at Barrington, Cambridgeshire. *Geological Magazine*, **99**, pp.97-118.
- Nowell, D.A.G. 1991.** The Palaeogeography of the Hertfordshire Pebble Gravels and the Hitchin Gap. *Transactions of the Hertfordshire Natural History Society*, **31**, pp. 41-52.
- Ó Cofaigh, C. 1996.** Tunnel valley genesis. *Progress in Physical Geography* **20**, (1), pp.1-19.
- Ollier, C. D. & Thomasson, A. J. 1957.** Asymmetrical valleys of the Chiltern Hills. *Geographical Journal*, **123**, pp.71-80.
- Orford, J.D. 1990.** Particle Form. In: Goudie, A. (ed.) *Geomorphological Techniques* (2nd Edition). British Geomorphological Research Group. Unwin Hyman.
- Page, W. (ed.) 1904.** *The Victoria history of the County of Bedford*. Reprint for the University of London, Institute of Historical Research.

- Patterson, C.J. 1994.** Tunnel-valley fans of the St Croix moraine, east-central Minnesota, U.S.A. In: Warren, W.P. & Croot D.G. (eds.) *Formation and Deformation of Glacial Deposits*. Balkema, Rotterdam, pp.69 -87.
- Penny, L.F. & Catt, J.A. 1967.** Stone orientations and other structural features of tills in East Yorkshire. *Geological Magazine*, **104** (4), pp.344-360.
- Perrin, R.M.S., Davies, H. & Fysh, M.D. 1973.** Lithology of the Chalky Boulder Clay. *Nature*, **245**, pp.101-104.
- Perrin, R.M.S., Rose, J. & Davies, H. 1979.** The distribution, variations and origins of pre-Devensian tills in eastern England. *Philosophical Transactions of the Royal Society of London, Series B*, **287**, pp.535-570.
- Pharaoh, T.C., Barron, A.J.M., Sumbler, M.G. & Ivimey-Cook, H.C. 1996.** Concealed rocks and basement structure. In: Sumbler, M.G. *British Regional Geology: London and the Thames Valley*. (4th Edition). HMSO, London.
- Piotrowski, J. A. 1997.** Subglacial Hydrology in North-Western Germany during the last glaciation: *Quaternary Science Reviews* ,**16**, pp.169-185
- Powers, M.C. 1953.** A new roundness scale for sedimentary particles. *Journal of Sedimentary Petrology*, **23**, pp.17–119.
- Priest, S. 1921.** Excursion to Stevenage, Herts - Part 2 supplementary notes. *Proceedings of the Geologists' Association*, **32**, pp.25-27.
- Raines, M.G. & Chacksfield, B.C. 1991.** Geophysical survey across a buried valley at Langley near Stevenage, Hertfordshire. *British Geological Survey Project Note*, PN/91/3.
- Reid, C. 1897.** The Paleolithic deposits at Hitchin and their relation to the glacial epoch: *Proceedings of the Royal Society*, **61**, pp.40-49.
- Rice, R.J. 1968.** The Quaternary era. In: Sylvester-Bradley, P.C. & Ford, T.D. (eds.) *Geology of the East Midlands*. Leicester U.P.
- Rice, R.J. 1981.** The Pleistocene deposits of the area around Croft in south Leicestershire. *Philosophical Transactions of the Royal Society of London* **293**, pp.385-418.
- Rice, R.J., & Douglas, T. 1991.** Wolstonian glacial deposits and glaciation in Britain. In: Ehlers, J., Gibbard, P.L. & Rose, J. (eds.) *Glacial Deposits in Great Britain and Ireland*. A.A. Balkema, Rotterdam, pp.25–35.
- Rose, J. 1974.** Small-scale spatial variability of some sedimentary properties of lodgement till and slumped till. *Proceedings of the Geologists' Association*, **84** (2), pp.223- 237.
- Rose, J. (ed.) 1983.** *Diversion of the Thames, Field Guide*. Quaternary Research Association, Cambridge.

- Rose, J. 1987.** Status of the Wollastonian Glaciation in the British Quaternary. *Quaternary Newsletter*, **53**, pp.1-9.
- Rose, J. 1992.** High Lodge – regional context and geological background. In Ashton, N., Cooke, J., Lewis, S.G. & Rose, J. (eds.) *High Lodge: Excavations by G. de G. Sieveking and J. Cook, 1988*. British Museum, London, pp.13-24.
- Rose, J. 1994.** Major River Systems of Central and Southern Britain during Early & Middle Pleistocene, *Terra Nova*, **6**, pp.435-443.
- Rose, J.R. 2004.** In: Clark, C.D., Gibbard., P.L., Rose, J. Pleistocene glacial limits in England, Scotland and Wales. In: Ehlers, J. & Gibbard P.L. (eds.) *Quaternary Glaciations – Extent and Chronology, vol 1. Europe*. Elsevier B.V., pp.47-82.
- Rose, J. 2007.** Palaeogeography of Eastern England during the Early Middle Pleistocene. In: Candy, I., Lee, J.R. & Harrison, J.M. (eds.) *The Quaternary of northern East Anglia, a Field Guide*. Quaternary Research Association.
- Rose, J.R. & Gibbard, P.L. (eds.) 1978.** *Quaternary Geology of the Vale of St Albans*. Quaternary Research Association Field Excursion Guide.
- Rose, J., Whiteman, C.A., Allen, P. & Kemp, R.A. 1999.** The Kesgrave Sands & Gravels: ‘pre-glacial’ Quaternary deposits of the River Thames in East Anglia and the Thames valley. *Proceedings of the Geologists’ Association*, **110**, pp.93-116.
- Rose, J., Moorlock, B.S.P., Hamblin, R.J.O., 2001.** Pre-Anglian fluvial and coastal deposits in Eastern England: lithostratigraphy & palaeoenvironments *Quaternary International*, **79**, pp.5-22.
- Salter, J.W. 1866.** On faults in drift-gravel at Hitchin, Herts. *Proceedings of the Geological Society*, **22**, pp.565–567.
- Schreve, D. 2001.** Differentiation of the British late Middle Pleistocene interglacials: the evidence from mammalian biostratigraphy. *Quaternary Science Reviews*, **20**, pp.1693-1705.
- Shaw, J. & Gilbert, R. 1990.** Evidence for large-scale subglacial meltwater flood events in southern Ontario & northern New York State. *Geology*, **18**, pp.1169-1172.
- Shephard-Thorn, E.R., Moorlock, B.S.P., Cox, B.M., Allsop, J.M. & Wood, C.J. 1994.** Geology of the country around Leighton Buzzard. *Memoir of the British Geological Survey*, Sheet 220. (England and Wales).
- Sherlock, R .L. 1924.** The Superficial deposits of southern Buckinghamshire & South Hertfordshire and the old course of the Thames. *Proceedings of the Geologists’ Association*, **35**, pp.1-28.

- Sherlock, R.L. 1947.** Pleistocene and Recent. In: *London and the Thames Valley*, 2nd Edition. HMSO, London.
- Sherlock, R.L. & Noble, A.N. 1912.** On the Glacial Origin of the Clay-with-Flints of Buckinghamshire and on a Former Course of the Thames. *Quarterly Journal of the Geological Society*, **68**, pp.199-212.
- Sherlock, R.L. & Pocock, R.W. 1924.** The Geology of the Country around Hertford. *Memoir of the Geological Survey of England & Wales*, HMSO, London.
- Shotton, F.W. 1953.** Pleistocene deposits of the area between Coventry, Rugby and Leamington and their bearing on the topographic development of the Midlands. *Philosophical Transactions of the Royal Society of London Series B*, **237**, pp.209-260.
- Shotton, F. W. 1983.** The Wollastonian Stage of the British Pleistocene in and around its type area of the England Midlands. *Quaternary Science Reviews*, **2**, pp.261-280.
- Shotton, F. W. 1985.** Quaternary glaciations in the northern hemisphere. *Quaternary Newsletter*, **45**, pp.28-36.
- Shotton, F. W. 1986.** Glaciations in the United Kingdom. *Quaternary Science Reviews*, **5**, pp.293-397.
- Smith, A. 1992.** Geology of the Henlow, Stotfold & Ashwell districts. *British Geological Survey Technical Report*, WA/92/22.
- Smith, A. & Rose, J. R. 1997.** A new find of Quaternary quartzite rich gravel near Letchworth, Herts. *Proceedings of the Geologists' Association*, **108**, pp. 317-326.
- Sparks, R.W. 1952.** Notes on some Pleistocene sections at Barrington, Cambridgeshire. *Geological Magazine*, **89**, pp.163-74.
- Sparks, R.W. 1957.** The evolution of the relief of the Cam Valley. *The Geological Journal*, **123** (2), pp.188–203.
- Sparks, B.W. & Lewis, W.V. 1957.** Escarpment dry valleys Nr Pegsdon, Hertfordshire. *Proceedings of the Geologists' Association*, **68**, pp.26–38.
- Sparks, B.W. & West, R.G. 1965.** The relief and drift deposits. In: Steers, J.A. (ed.) *The Cambridge Region*. British Association for the Advancement of Science, Cambridge, pp.18-39.
- Sparks, B.W., West, R.G., Williams, R.B.G. & Ransom, M. 1969.** Hoxnian interglacial deposits near Hatfield Hertfordshire. *Proceedings of the Geologists' Association*, **80**, pp.243-267.

- Straw, A. 1979.** The geomorphological significance of the Wolstonian glaciation in Eastern England. *Transactions of the Institute of British Geographers*, **4**, pp.540 – 549.
- Straw, A. 1984.** Reply to comments (by Ventris, P.A. Comments on Pre-Devensian glaciation of Lincolnshire (Eastern England) and adjacent areas, QSR,3,pp.vii-viii) *Quaternary Science Reviews*, **3**, pp.ix-x.
- Sumbler, M G. 1995.** The Terraces of the River Thames & Thame and their bearing on the chronology of glaciation in central and eastern England. *Proceedings of the Geologists' Association*, **106**, pp.93-106.
- Sumbler, M.G. 2001.** The Moreton Drift: a further clue to glacial chronology in central England. *Proceedings of the Geologists' Association*, **112**, pp.13-27.
- Swift, D.J.P., Schubel, J.R. & Sheldon R.W. 1972.** Size Analysis of fine grained sediments: A Review. *Journal of Sedimentary Petrology*, **42**, No. 1, pp.122-134.
- Thomasson, A.J. 1961.** Some aspects of the drift deposits and geomorphology of south-east Hertfordshire. *Proceedings of the Geologists' Association*, **72**, pp.287-302.
- Turner, C. 1996.** A brief survey of the early Middle Pleistocene in Europe. In: Turner, C. (ed.) *The early Middle Pleistocene in Europe*, pp.295-317. A.A. Balkema, Rotterdam.
- van der Meer, J.J.M. 1993.** Microscopic evidence of subglacial deformation. *Quaternary Science Reviews*, **12**, pp.553–587.
- van der Meer, J.J.M. 1997.** Particle and aggregate mobility in till: microscopic evidence of subglacial processes. *Quaternary Science Reviews*, **15**, pp.827-831.
- van Dijke, J.J. & Veldkamp, A. 1996.** Climate-controlled glacial erosion in the unconsolidated sediments of the northwestern Europe, based on a genetic model for tunnel valley formation. *Earth Surface Processes & Landforms*, **21**, pp.327-340.
- Walder, J. S. & Fowler, A. 1994.** Channelized subglacial drainage over a deformable bed. *Journal of Glaciology*, **40**, (134).
- West, R.G. & Donner, J.J. 1956.** The glaciations of East Anglia and the East Midlands: a differentiation based on stone orientation measurements of the tills. *Quarterly Journal of the Geological Society of London*, **112**, pp.69-91.
- White, M. J. 1997.** The earlier Palaeolithic occupation of the Southern Chilterns (southern England). *Antiquity*, **71**, pp.1912-31.

- Whiteman, C.A. 1987.** Till lithology and genesis near the southern margin of the Anglian ice sheet in Essex. In: van der Meer, J.J. (ed.) *Tills and Glaciotectonics*. A.A. Balkema, Rotterdam, pp.55-66.
- Whiteman, C.A. 1991.** *Early and Middle Pleistocene stratigraphy in central Essex, England*. Unpublished PhD thesis, University of London.
- Whiteman, C.A. 2002.** Processes of terrestrial glacial deposition. In: Menzies J. (ed). *Modern & Past glacial environments* (revised student edition). Butterworth Heinemann, Oxford.
- Wills, L.J. 1924.** The development of the Severn Valley in the neighbourhood of Iron-Bridge and Bridgnorth. *Quarterly Journal of the Geological Society of London*, **80**, pp.274-314.
- Woodland, A. W. 1970.** The buried tunnel valleys of East Anglia. *Proceedings of the Yorkshire Geological Society*, **37**, (22), pp.521-578.
- Woodward, H. B. 1903a.** Excursion to Royston. *Proceedings of the Geologists' Association*, **18**, pp.166-170.
- Woodward, H.B. 1903b.** On some disturbances in the Chalk near Royston. *Quarterly Journal of the Geological Society of London*, **59**, pp.362-364.
- Woodward, H.B. & Thompson, B. 1909.** The water supply of Bedfordshire and Northamptonshire, from underground sources: with records of sinkings and borings. *Memoir (Water Supply) Geological Survey of GB*, HMSO, London.
- Wooldridge, S.W. 1938.** The glaciation of the London Basin and the evolution of the Lower Thames drainage system. *Quarterly Journal of the Geological Society*, **94**, pp.627-67.
- Wooldridge, S. W. 1953.** Some marginal drainage features of the Chalky boulder clay ice sheet in Hertfordshire. *Proceedings of the Geologists' Association*, **64**, pp.208-231.
- Wooldridge, S.W. & Smetham, D.J. 1931.** The glacial drifts of Essex and Hertfordshire and their bearing upon the agricultural and historical geography of the Region. *The Geographical Journal*, **78**, (3) pp.243-265.
- Worssam, B.C. & Taylor, J.H. 1969.** Geology of the country around Cambridge. *Memoir of the Geological Survey of Great Britain*, Sheet 188 (England & Wales), HMSO, London.
- Wyatt, R.J., Moorlock, B.S.P., Lake, R.D. & Shephard-Thorn, E.R. 1988.** Geology of the Leighton-Buzzard-Amphill district. *British Geological Survey Technical Report*, WA 188/1.